



CATALOG NUMBER: F54T5HO/835	
JOB NAME:	
CUSTOMER NAME:	
NOTES:	TYPE:
	DATE:

FEATURES AND SPECIFICATIONS

LAMPS
FLUORESCENT T5 LAMP
 FOR 54W FLUORESCENT



Wattages:
 Fluorescent: 54w

Construction:
 Average Life 20,000 Hours
 Energy Efficient

Specifications:
 Base: E26/E27
 Watts: 54w
 MOL: 33.98 in.

TCLP Compliant

DIMENSIONS



ORDERING INFORMATION

Watt	Catalog #	Base	Approx. Lumens (lm)	Dimensions MOL (in)	Avg. Life (hours)	Color Temp	CRI	Case Qty.
54	F54T5HO/835	E26/E27	4450	33.98	20000	3500	82	40

Actual performance can vary depending on operating conditions. Specifications are subject to change without notice.

ATLAS LIGHTING PRODUCTS, INC.

PO BOX 2348 | BURLINGTON, NC 27216
 800-849-8485 | FAX: 336-227-0110 | www.atlaslightingproducts.com



CATALOG NUMBER: F54T5HO/841	
JOB NAME:	
CUSTOMER NAME:	
NOTES:	TYPE:
	DATE:

FEATURES AND SPECIFICATIONS

LAMPS
FLUORESCENT T5 LAMP
 FOR 54W FLUORESCENT



Wattages:
 Fluorescent: 54w

Construction:
 Average Life 20,000 Hours
 Energy Efficient

Specifications:
 Base: E26/E27
 Watts: 54w
 MOL: 45.8 in.

TCLP Compliant

DIMENSIONS



ORDERING INFORMATION

Watt	Catalog #	Base	Approx. Lumens (lm)	Dimensions MOL (in)	Avg. Life (hours)	Color Temp	CRI	Case Qty.
54	F54T5HO/841	E26/E27	4450	45.8	20000	4100	82	40

Actual performance can vary depending on operating conditions. Specifications are subject to change without notice.

ATLAS LIGHTING PRODUCTS, INC.

PO BOX 2348 | BURLINGTON, NC 27216
 800-849-8485 | FAX: 336-227-0110 | www.atlaslightingproducts.com



CATALOG NUMBER: F54T5HO/850	
JOB NAME:	
CUSTOMER NAME:	
NOTES:	TYPE:
	DATE:

FEATURES AND SPECIFICATIONS

LAMPS
FLUORESCENT T5 LAMP
 FOR 54W FLUORESCENT



Wattages:
 Fluorescent: 54w

Construction:
 Average Life 20,000 Hours
 Energy Efficient

Specifications:
 Base: E26/E27
 Watts: 54w
 MOL: 45.8 in.

TCLP Compliant

DIMENSIONS



ORDERING INFORMATION

Watt	Catalog #	Base	Approx. Lumens (lm)	Dimensions MOL (in)	Avg. Life (hours)	Color Temp	CRI	Case Qty.
54	F54T5HO/850	E26/E27	4450	45.8	20000	5000	82	40

Actual performance can vary depending on operating conditions. Specifications are subject to change without notice.

ATLAS LIGHTING PRODUCTS, INC.

PO BOX 2348 | BURLINGTON, NC 27216
 800-849-8485 | FAX: 336-227-0110 | www.atlaslightingproducts.com