

LED ROUND HIGH BAY

18,000-30,000 LUMENS
150 - 235 WATTS



Atlas
Lighting Products®

LED ROUND HIGH BAY


18,000 • 24,000 • 30,000 LUMENS



- Mounting heights up to 30 feet
- Listed for wet locations and IP65 rated (protects against dust, airborne contaminants and liquids)
- 50°C Ambient Temp rating
- Optional Pendant mount adapter for easy one for one replacement
- Optional optics



DIMENSIONS:



ORDERING FORMAT

IRH

PRODUCT SERIES
IRH = LED Industrial
Round High Bay

18L

LUMEN PACKAGE
18L = 18,000 Lumen Package
24L = 24,000 Lumen Package
30L = 30,000 Lumen Package

□

COLOR TEMP.
Blank = 5000K
4K = 4000K

□

HOUSING COLOR
Blank = Black
W = White

□

CONTROLS
M = Motion
IC = Integrated
Control



LED ROUND HIGH BAY

18,000 • 24,000 • 30,000 LUMENS

	5000K CCT		
	IRH18L	IRH24L	IRH30L
Lumens:	19,606	24,068	29,984
Watts:	149	178	234
Lumens/Watt:	132	135	129
CRI:	85	85	85
CCT:	5000	5000	5000
Lifespan:	50,000+ hrs. ¹	50,000+ hrs. ¹	50,000+ hrs. ¹

	4000K CCT		
	IRH18L4K	IRH24L4K	IRH30L4K
Lumens:	19,592	24,019	29,926
Watts:	148	176	231
Lumens/Watt:	134	136	130
CRI:	84	84	84
CCT:	4000	4000	4000
Lifespan:	50,000+ hrs. ¹	50,000+ hrs. ¹	50,000+ hrs. ¹

¹LED Life Span Based Upon LM-80 Test Results

OPTICAL ACCESSORIES



RHB16SAR
Spun Aluminum Reflector



RHB16FGC
16" Flat Glass and Clamp Band



RHB16WG
16" Wireguard



RHB16PAR
Prismatic Acrylic Refractor




RHB16CLC
16" Conical Lens and Clamp Band

PENDANT MOUNT



IRH-PMK
Pendant Mount
Adapter Kit
Fits 3/4" NPT



LED ROUND HIGH BAY

18,000-30,000 LUMENS
150 - 235 WATTS

Atlas
Lighting Products®

PO BOX 2348 BURLINGTON, NC 27216
1406 S. MEBANE STREET BURLINGTON, NC 27215
800-849-8485 | FAX 1-855-847-2794
WWW.ATLASLED.COM

452-247 092118



Scan QR CODE
to visit our website

CONNECT WITH US

